

LIQUID ICE CORPORATION

Material Safety Data Sheet (MSDS)

Page: 1 of 6

LIQUID-ICE® HPX COOLANT AND LUBRICANT

1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY

LIQUID ICE CORPORATION
500C UNION WEST BLVD.
MATTHEWS, NC 28104
USA

Customer Service: (800) 472-5568
Product Information: (704) 882-3505
Chemtec: (800) 424-9300

Revision Date: 3/14/2008

Trade Name: LIQUID-ICE® HPX
CAS Number: MIXTURE
Synonyms: Product has no synonyms
Primary Product Use: Metalworking compound

HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	A

Chemical Family: Surfactants Mixture

Note: NFPA = National Fire Protection Association

2. OSHA HAZARDOUS COMPONENTS

Triethanolamine, CAS 102-71-6 Percentage by weight 0.1 – 10%

3. HAZARDS IDENTIFICATION

Expected Route of Entry

Eye: Yes
Skin contact: Yes
Inhalation: No
Oral: No
Skin Absorption: No

Health Effects of Overexposure:

May Cause irritation to Skin and Eyes

Known Effects on Other Illnesses:

No known effects on other illnesses for this product

Listed Carcinogen

IARC: No
NTP: No
OSHA: No
Other: No

LIQUID ICE CORPORATION

Material Safety Data Sheet (MSDS)

Page: 2 of 6

LIQUID-ICE® HPX COOLANT AND LUBRICANT

4. FIRST AID MEASURES

- Eye: Immediately flush eyes with running water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if redness or irritation occurs.
- Skin: Remove contaminated clothing. Wash affected area thoroughly with soap and water for 15 minutes. Get medical attention if irritation or other ill effects develop or persist.
- Inhalation: Remove victim to fresh air. Give artificial respiration if breathing has stopped. Get immediate medical attention. Do not give fluids if victim is unconscious.
- Oral: If victim is conscious, give large amounts of water or milk. Get medical attention. Never give anything by mouth to an unconscious person.
- Comments: Treat according to person's condition and specifics of exposure.

5. FIRE FIGHTING MEASURES

- Flash Point: Not determined.
- Autoignition Temperature: NONE
- Flammability Limits in Air: Not determined.
- Extinguishing Media: Water spray jet, foam, carbon dioxide, dry powder
- Fire Fighting Measures: Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
- Unusual Fire Hazards: Emits toxic fumes under fire conditions

Hazardous Decomposition Products

Thermal breakdown of this product during fire or very high heat conditions may evolve the following hazardous decomposition products: Nitrogen oxides (NOx)

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case of spill or leak:

Wear proper protective equipment. Contain spill. Spills should be collected as a liquid or absorbed on a suitable absorbent and placed in proper container for disposal. Do not discharge into storm drains or the aquatic environment.

LIQUID ICE CORPORATION

Material Safety Data Sheet (MSDS)

Page: 3 of 6

LIQUID-ICE® HPX COOLANT AND LUBRICANT

7. HANDLING AND STORAGE

Avoid skin and eye contact. Store in original containers. Keep containers closed.

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Respiratory Protection

If airborne concentrations pose a health hazard, become irritating or exceed recommended limits, use a NIOSH Approved respirator in accordance with OSHA respiratory protection requirements under 29 CFR 1910.134

Engineering Controls

Local Ventilation: Recommended.
General Ventilation: Recommended.

Personal Protective Equipment for Routine Handling

Eyes: Use safety glasses or chemical worker's goggles.
Skin: Wash at mealtime and end of shift. Contaminated clothing and shoes should be removed as soon as practical and thoroughly cleaned before reuse. Butyl rubber, PVC or Neoprene protective gloves are recommended.
Other: Protective clothing to minimize skin contact should be worn, as well as chemically resistant safety shoes. Wash contaminated clothing with soap and water, and dry before reuse. Safety showers and eyewash stations should be provided in all areas where the material is handled.
IDLH: Not determined

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Form: Liquid
Color: Light Amber
Odor: Mild Odor
Specific Gravity @ 20°C: 1.04
Viscosity: 25 cPs at 25°C
Freezing Point: 0°C (32°F)
Boiling Point: > 100°C (212°F)
Vapor Pressure @ 20°C: < 0.01 mm Hg
Vapor Density: Not determined
Solubility in Water: Soluble
pH: 8.5 (10% in water @ 25°C)
Volatile Content: Not determined

LIQUID ICE CORPORATION

Material Safety Data Sheet (MSDS)

Page: 4 of 6

LIQUID-ICE® HPX COOLANT AND LUBRICANT

10. STABILITY AND REACTIVITY

Chemical Stability:	Stable.
Hazardous Polymerization:	Hazardous polymerization will not occur.
Conditions to Avoid:	Do not use highly alkaline products or nitrites or nitrosating agents with this product.
Thermal Decomposition:	> 220° C (> 428° F)

11. TOXICOLOGICAL INFORMATION

Product Information

Acute Oral Toxicity:	Unknown
Acute Inhalation Toxicity:	Not determined
Acute Dermal Toxicity:	Not determined
Skin Irritation:	Not determined
Eye Irritation:	Not determined

12. ECOLOGICAL INFORMATION

Product Information

Biodegradation:	Not determined
Fish Toxicity:	Not determined
Bacteria Toxicity:	Not determined
Dissolved Organic Carbon (DOC):	Not determined
Chemical Oxygen Demand (COD):	Not determined

13. DISPOSAL CONSIDERATIONS

Waste Disposal Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

RCRA Hazard Class (40 CFR 261)

Product is not a hazardous waste as sold. RCRA number Not Applicable

LIQUID ICE CORPORATION

Material Safety Data Sheet (MSDS)

Page 5 of 6

LIQUID-ICE® HPX COOLANT AND LUBRICANT

14. TRANSPORT INFORMATION

DOT Road Shipment Information (49 CFR 172.101)

Not subject to DOT.

Ocean Shipment (IMDG)

IMDG code not determined

Air Shipment (IATA)

IATA regulations applicability not determined.

15. REGULATORY INFORMATION

Contents of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA Status: All the components of this product are listed on the TSCA inventory of chemical substances.

EPA SARA Title 111 Chemical Listings

Section 302 Extremely Hazardous Substances: None.

Section 304 CERCLA Hazardous Substances: None.

Section 312 Hazard Class:

Acute: No
Chronic: No
Fire: No
Pressure: No
Reactive: No

Section 313 Toxic Chemicals: None present or none present in regulated quantities.

Clean Water Act: Contains no known priority pollutants at concentrations greater than 0.1%

Volatile Organic Compounds (VOC): Not available

FDA: This product is not registered with the FDA

LIQUID ICE CORPORATION

Material Safety Data Sheet

Page: 6 of 6

LIQUID-ICE® HPX COOLANT AND LUBRICANT

16. OTHER INFORMATION

Other precautions: None known

State Regulatory Information

Pennsylvania: Non hazardous components being withheld as a trade secret
Massachusetts: Any component of this product which is a hazardous chemical as listed in the Massachusetts Substance list is shown above in Section 2 of this MSDS. Non hazardous components are withheld as trade secret information.

Label Information: ATTENTION!

UPON EVALUATION, IT HAS BEEN DETERMINED THAT THIS PRODUCT IS NOT SUBJECT TO THE LABELING REQUIREMENTS OF OSHA REGULATION 29 CFR 1910.1200

Avoid skin and eye contact and ingestion. Washing after handling is recommended.

Prepared by: Liquid Ice Corporation

The information and recommendations contained herein are, to the best of Liquid Ice Corporation's knowledge and belief, accurate and reliable as of the date issued. Liquid Ice Corporation does not warrant or guarantee their accuracy or reliability, and Liquid Ice Corporation shall not be liable for any loss or damage arising out of the use thereof. The information and recommendations are offered for the user's consideration and examination, and it is the user's responsibility to satisfy itself that they are suitable and complete for its particular use.